

*Soluciones de prueba total*

*Pruebas ambientales*



[www.casametrology-importadora.com.mx](http://www.casametrology-importadora.com.mx)

Caudillos #952 Fracc. Morelos 1 CP 20298

Aguascalientes, Ags.

E-mail [rasa.ventas@gmail.com](mailto:rasa.ventas@gmail.com)

Tel 449 271 3555

**General laboratory equipment  
machines and tools**

# Equipo de prueba ambiental



Thermal Shock Chamber GT-F56



General laboratory equipment  
machines and tools



Thermal Shock Chamber GT-F56



General laboratory equipment  
machines and tools



PLC Touch Screen Salt Spray  
Corrosion Test Chamber GT-F50B



Environmental Corrosion Chamber  
Salt Spray Tester GT-F50A



General laboratory equipment  
machines and tools



Temperature and Humidity Climatic  
Test Chamber GT-C52



General laboratory equipment  
machines and tools



Environmental Chamber  
Temperature and Humidity Test

# Equipo de prueba ambiental BN



General laboratory equipment  
machines and tools

Programmable Temperatur



General laboratory equipment  
machines and tools

Thermal shock test



Xenon Light Colorf



General laboratory equipment  
machines and tools

PCT / Hast Ch



General laboratory equipment  
machines and tools

Rapid Temperature



Walk-in test chamb



General laboratory equipment  
machines and tools

UV Accelerated Agi



General laboratory equipment  
machines and tools

Salt Spray Test&nb



Water Rain Spray&n

# Equipo de prueba ambiental BN



Sand Dust test&nbs



Ozone Aging Test&n



Precision High Tem



Vacuum Drying Oven

General laboratory equipment  
machines and tools

General laboratory equipment  
machines and tools

General laboratory equipment  
machines and tools

# Equipo de prueba ambiental FM



General laboratory equipment  
machines and tools

CASS Corrosion Resistance Salt Spray Test Machine Equipment PVC Chamber Material

- Testing Temperature:NSS ACSS 35°C±1...
- Solution Consistence:NaCl 5%
- Chamber Material:polyvinyl chloride
- Temperature sensor:Platinum Resistance ...



General laboratory equipment  
machines and tools


40L Laboratory Use Salt Spray Test Chamber For CASS NSS ACSS Testing

- Solution Tank:40L
- Temperature:CASS 50°C±1°C
- Spray Quantum:1.0~2.0(ml/80cm<sup>2</sup>/h)
- Material:Polvvinvl Chloride (PVC)



Sulfur Dioxide SO2 Salt Spray Test Equipment Circulation Test Chamber

- Dimension:Chamber Dimension 480L
- Solution:Solution Volume 40L
- Concentration:NSS NaCl Solution 5%
- Sprav Mode:Continuous System



General laboratory equipment  
machines and tools

Salt Spray Test Chamber With Precision Controller Salt Spray Corrosion Test...

- Temperature:NSS ACSS 35°C±1°C / CAS...
- Solution:Solution Consistence NaCl 5%
- Spray Quantum:1.0~2.0(ml/80cm<sup>2</sup>/h)
- Heater:Corrosion-Resistant Titanium Tube



General laboratory equipment  
machines and tools

GRP Material Programmable Salt Corrosion Spray Test Chamber with Touch Screen...

- Dimension:Internal 130x80x70cm
- Material:Glass Fiber Reinforced Plastics
- Solution Tank:With Water Level Alarm
- Test Stand:CNS, JIS, ASTM



Programmable Salt Spray Test Chamber And Cyclic Corrosion Test Chamber With...

- Dimension:Internal 1000x700x600 (WxDx...
- Material:Glass Fiber Reinforced Plastics
- Solution Tank:With Water Level Alarm
- Test Stand:CNS, JIS, ASTM

*Distribuidor en México*



[www.rasametrology-importadora.com.mx](http://www.rasametrology-importadora.com.mx)

Caudillos #952 Fracc. Morelos 1 CP 20298

Aguascalientes, Ags.

E-mail [rasa.ventas@gmail.com](mailto:rasa.ventas@gmail.com)

Tel 449 271 3555